ELSEVIER

Analytica Chimica Acta 370 (1998) 291–293

ANALYTICA
CHIMICA
ACTA

Author Index

Abd El-Hady, D., see Abo El-Maali, N. 239
Abo El-Maali, N.
— and Abd El-Hady, D.
Square-wave adsorptive stripping voltammetry at glassy carbon electrode for selective determination of manganese. Application to some industrial samples 239
Agnelli, H., see Giacomelli, L. 79
Alañón Molina, A., see Murillo Pulgarín, J.A. 9
Alegret, S., see Jurkiewicz, M. 47
Alexander, P.W., see Trojanowicz, M. 267
Anunziata, J., see Giacomelli, L. 79
Argekar, A.A., see Kulkarni, M.J. 163
Asari, T.P.S., see Kayasth, S. 91

Barroso-Fernandez, B.
—, Theresa Lee-Alvarez, M., Seliskar, C.J. and Heineman, W.R.
Electrochemical behavior of methyl viologen at graphite electrodes modified with Nafion sol–gel composite 221
Boggetti, H., see Giacomelli, L. 79
Bosch-Reig, F., see Gallo-Martinez, L. 115
Brynn Hibbert, D., see Trojanowicz, M. 267

Campíns-Falcó, P., see Gallo-Martinez, L. 115
Carrera, F.
—, León-Camacho, M., Pablos, F. and González, A.G.
Authentication of green coffee varieties according to their sterolic profile 131
Cattana, R., see Giacomelli, L. 79
Chen, H.
—, Liu, J. and Mao, X.
Coupling of flow injection wetting-film extraction without segmentation and phase separation to flame atomic absorption spectrometry for the determination of trace copper in water samples 151
Chu, J.
—, Takeuchi, T. and Miwa, T.
Retention behavior of polycyclic aromatic hydrocarbons in microcolumn liquid chromatography with acridine derivative as stationary phase 125

Davison, W., see Zhang, H. 29
del Mar Cordero-Rando, M.
—, Naranjo-Rodríguez, I. and Hidalgo Hidalgo de Cisneros, J.L.
Voltammetric study of 2-methyl-4,6-dinitrophenol at a modified carbon paste electrode 231
Dordick, J.S., see Kim, J. 251

Ellison, S.L.R.
— and Gregory, S.L.
Predicting chance infrared spectroscopic matching frequencies 181
Escandar, G.M.
— and Muñoz de la Peña, A.
Room-temperature phosphorescence of acenaphthene in aerated solutions in the presence of bromoalcohols and γ-cyclodextrin 199

Fàbregas, E., see Jurkiewicz, M. 47
Fang, K.-T., see Zhang, L. 65
Fernández López, P., see Murillo Pulgarín, J.A. 9

Gadi, R., see Zhang, H. 29
Gajári, J., see Horváth, E. 191
Gallo-Martinez, L.
—, Sevillano-Cabeza, A., Campíns-Falcó, P. and Bosch-Reig, F.
A new derivatization procedure for the determination of cephalexin with 1,2-naphthoquinone 4-sulphonate in pharmaceutical and urine samples using solid-phase extraction cartridges and UV–visible detection 115
Geise, H.J., see Poels, I. 105
Giacomelli, L.
—, Boggetti, H., Agnelli, H., Anunziata, J., Silber, J.J. and Cattana, R.
Relevant physicochemical factors in chromatographic separation of *Alternaria alternata* mycotoxins 79
González, A.G., see Carrera, F. 131
Gregory, S.L., see Ellison, S.L.R. 181

Han-Ying, Z., see Zhi-Qi, Z. 59
Heineman, W.R., see Barroso-Fernandez, B. 221
Herman, M.R., see Kim, J. 251
Hidalgo Hidalgo de Cisneros, J.L., see del Mar Cordero-Rando, M. 231
Hieftje, G.M., see Potyrailo, R.A. 1
Hong Chan, W.
—, Lee, A.W.M., Lu, J. and Wu, X.
Optosensing of cationic surfactants based on host–guest chemistry 259
Horváth, E.
—, Gajári, J., Kristóf, J., Rédey, Á. and Kocsis, L.
Monitoring of enzyme catalysed reactions by Fourier transform Raman spectrometry 191

Jiang, J.-H., see Zhang, L. 65
Jurkiewicz, M.
—, Alegret, S. and Fàbregas, E.
Comparison of flow injection analytical biosystems based on open-tube and packed-bed enzyme reactors 47

Kayasth, S.
—, Raje, N., Asari, T.P.S. and Parthasarathy, R.
Trace element profile of semiconductor materials: Gallium and arsenic 91
Kikuchi, Y.
— and Sakamoto, Y.
Fundamental equilibrium analysis on the ion-pair extraction of dibenzo-18-crown-6 complex of alkali metal ions with picrate ion into 1,2-dichloroethane 173
Kim, J.
—, Wu, X., Herman, M.R. and Dordick, J.S.
Enzymatically generated polyphenols as array-based metal-ion sensors 251
Kobayashi, T., see Zhang, H. 29
Kocsis, L., see Horváth, E. 191
Kristóf, J., see Horváth, E. 191
Kulkarni, M.J.
—, Argekar, A.A., Mathur, J.N. and Page, A.G.
Chemical separation and inductively coupled plasma–atomic emission spectrometric determination of seventeen trace metals in thorium oxide matrix using a novel extractant – Cyanex-923 163

le Clercq, M.
—, van der Plicht, J. and Meijer, H.A.J.
A supercritical oxidation system for the determination of carbon isotope ratios in marine dissolved organic carbon 19
Lee, A.W.M., see Hong Chan, W. 259
León-Camacho, M., see Carrera, F. 131
Liang, Y.-Z., see Zhang, L. 65
Lim, T.-k.
—, Nakamura, N. and Matsunaga, T.
Automated flow immunoassay for detection of food allergen using anion-exchange resin and alkaline phosphatase conjugated immunoglobulin G 207
Liu, J., see Chen, H. 151
Lou-Jun, G., see Zhi-Qi, Z. 59
Lu, J., see Hong Chan, W. 259

Mao, X., see Chen, H. 151
Masuda, A., see Sahoo, S.K. 215
Mathur, J.N., see Kulkarni, M.J. 163
Matsunaga, T., see Lim, T.-k. 207
Meijer, H.A.J., see le Clercq, M. 19
Miwa, T., see Chu, J. 125
Muñoz de la Peña, A., see Escandar, G.M. 199
Murillo Pulgarín, J.A.
—, Alañón Molina, A. and Fernández López, P.
Simultaneous determination of atenolol, propranolol, dipyridamole and amiloride by means of non-linear variable-angle synchronous fluorescence spectrometry 9

Nagels, L.J., see Poels, I. 105
Nakamura, N., see Lim, T. 207
Naranjo-Rodríguez, I., see del Mar Cordero-Rando, M. 231
Nogueira, A.R.A., see Silva, F.V. 39

Pablos, F., see Carrera, F. 131
Page, A.G., see Kulkarni, M.J. 163
Palet, C., see Rosell, A. 141
Parthasarathy, R., see Kayasth, S. 91
Poels, I.
—, Nagels, L.J., Verreyt, G. and Geise, H.J.
Potentiometric detection of organic acids in liquid chromatography using conducting oligomer electrodes 105
Potyrailo, R.A.
— and Hieftje, G.M.
Oxygen detection by fluorescence quenching of tetraphenylporphyrin immobilized in the original cladding of an optical fiber 1

Qian-Guang, L., see Zhi-Qi, Z. 59

Rédey, Á., see Horváth, E. 191
Raje, N., see Kayasth, S. 91
Rosell, A.
—, Palet, C. and Valiente, M.
Solvent impregnated hollow fibre for a selective preconcentration of Pb(II) in an on-line determination by flame atomic absorption spectrometry 141

Sahoo, S.K.
— and Masuda, A.
Precise determination of lithium isotopic composition by thermal ionization mass spectrometry in natural samples such as seawater 215
Sakamoto, Y., see Kikuchi, Y. 173
Seliskar, C.J., see Barroso-Fernandez, B. 221
Sevillano-Cabeza, A., see Gallo-Martinez, L. 115
Silber, J.J., see Giacomelli, L. 79
Silva, F.V.
—, Nogueira, A.R.A., Souza, G.B. and Zagatto, E.A.G.
A polyvalent flow injection system for multielemental spectrophotometric analysis of plant materials 39
Souza, G.B., see Silva, F.V. 39

Takeuchi, T., see Chu, J. 125
Tanner, P.A.
— and Wong, A.Y.S.
Spectrophotometric determination of hydrogen peroxide in rainwater 279
Theresa Lee-Alvarez, M., see Barroso-Fernandez, B. 221
Trojanowicz, M.
—, Alexander, P.W. and Brynn Hibbert, D.
Flow-injection potentiometric determination of free cadmium ions with a cadmium ion-selective electrode 267

Valiente, M., see Rosell, A. 141
van der Plicht, J., see le Clercq, M. 19

Verreyt, G., see Poels, I. 105
Wong, A.Y.S., see Tanner, P.A. 279
Wu, X., see Hong Chan, W. 259
Wu, X., see Kim, J. 251

Yu, R.-Q., see Zhang, L. 65

Zagatto, E.A.G., see Silva, F.V. 39
Zhang, H.
—, Davison, W., Gadi, R. and Kobayashi, T.
In situ measurement of dissolved phosphorus in natural waters using DGT 29
Zhang, L.
—, Liang, Y.-Z., Jiang, J.-H., Yu, R.-Q. and Fang, K.-T.
Uniform design applied to nonlinear multivariate calibration by ANN 65
Zhi-Qi, Z.
—, Lou-Jun, G., Han-Ying, Z. and Qian-Guang, L.
Catalytic simultaneous spectrophotometric determination of nitrite and nitrate with a flow injection system 59